

Serial No. 54276

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE  
STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office DEC 28 1989

Returned to applicant for correction

Corrected application filed Map filed JAN 2 1990

The applicant Cleary Associates c/o Swafford, Hoffman, Test and Dickey

P.O. Box 187

Street and No. or P.O. Box No.

of Reno

City or Town

Nevada 89504

State and Zip Code No.

hereby make application for permission to change the

Point of Diversion

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit No. 43199

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is Underground  
Name of stream, lake, underground spring or other source.
2. The amount of water to be changed 1.0 cfs  
Second feet, acre feet. One second foot equals 448.3 gallons per minute.
3. The water to be used for Mining/Milling and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
4. The water heretofore permitted for Mining/Milling and Domestic  
Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.
5. The water is to be diverted at the following point SE/4 SE/4, Section 17, T.33N., R.36E., M.D.B. &  
Describe as being within a 40-acre subdivision of public survey and by course and  
M. or at a point from which the SE corner of Section 17 bears S. 79°09'37" E. a  
distance to a section corner. If on unsurveyed land, it should be stated.  
distance of 1,127.99 feet.
6. The existing permitted point of diversion is located within NE/4 NE/4, Section 17, T.33N., R.36E.,  
M.D.B. & M. or at a point from which the NE  
If point of diversion is not changed, do not answer  
corner of Section 17 bears N.44°30' E. a distance of 1,835 feet.
7. Proposed place of use all of Section 17, T.33N., R.36E., M.D.B. & M.  
Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.
8. Existing place of use all of Section 17, T.33N., R.36E., M.D.B. & M.  
Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or  
manner of use of irrigation permit, describe acreage to be removed from irrigation.
9. Use will be from January 1 to December 31 of each year.  
Month and Day Month and Day
10. Use was permitted from January 1 to December 31 of each year.  
Month and Day Month and Day
11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and  
specifications of your diversion or storage works.) drilled well, pump, transmission lines to  
State manner in which water is to be diverted, i.e., diversion structure, ditches,  
place of use  
pipes and flumes, or drilled well, etc.
12. Estimated cost of works \$30,000.00
13. Estimated time required to construct works two (2) years

14. Estimated time required to complete the application of water to beneficial use..... five (5) years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Estimated Consumptive use is 235.9 MGA.

s/William E. Nork

By William E. Nork (Agent)  
1026 West First Street  
Reno, Nevada 89503

Compared pm/se am/se

Protested.....

..... APPROVAL..... OF STATE ENGINEER

This is to certify I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 43199 is issued subject to the terms and conditions imposed in said Permit 43199 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be (CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed..... 1.0.....cubic feet per second..... but not to exceed 235.9 million  
gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before..... June 7, 1991

Proof of completion of work shall be filed before..... July 7, 1991

Application of water to beneficial use shall be made on or before..... June 7, 1992

Proof of the application of water to beneficial use shall be filed on or before..... July 7, 1992

Map in support of proof of beneficial use shall be filed on or before..... N/A

Completion of work filed..... AUG 24 1992

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed.....

office, this 29th day of November,

Cultural map filed.....

A.D. 19 90

Certificate No. .... Issued.....

*[Signature]*  
State Engineer

(PERMIT TERMS CONTINUED)

subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet below ground or to the first confining layer whichever is greater.

Any well drilled under Permit 43199 must be plugged in accordance with the Nevada Well Drilling Regulations.